



RHINO METALS™
BEST IN GUN SAFES AND VAULT DOORS



2025
PRODUCT CATALOG



WELCOME

In 2025 we will celebrate our 30th anniversary. What started out as a small veteran-owned welding job shop has grown into the leading safe manufacturer in the country. Our success reflects the unmatched opportunity and liberty afforded to Americans under the U.S. Constitution, the incredible dedication of everyone at Team Rhino, and most of all, the trust and loyalty of our customers. We would be nothing without our customers.

We look forward to taking care of you, our customers, and continuing to make the best products we can.

Protecting and Securing America

Team Rhino

CONTENTS

- 2-3 Welcome
- 4-5 Rhino Metals Story
- 6-7 SafeX™ Security System (Patent Pending)
- 8-9 Swing Out Gun Rack System
- 10-13 Thunderbolt Series
- 14-17 Lightning Series
- 18-21 Raptor Series
- 22-23 Falcon Series
- 24-27 Vault Door Series
- 28-33 Kodiak Series
- 34-35 Longhorn Home Series





THE RHINO METALS STORY

★★★ SHAPING THE FUTURE OF SECURITY ★★★

COMMITMENT TO EXCELLENCE...DISCIPLINE

For American fighter pilots, these are more than just words; they are the code to live by. It's this culture of excellence that makes our fighter pilots the best in the world at protecting us against evil. And in this world we live in, there is no end to the evil that seeks to threaten our lives, liberty and property. One seasoned fighter pilot took this ethos of excellence, instilled through years of flying fighters, and applied it to the business world to develop superior security products for Americans.

VISIT OUR YOUTUBE PAGE AT: RHINO METALS - TO WATCH OUR STORY



THE SAFEX® REVOLUTION



With our patent pending SafeX® Security System, you will get anti-pry protection better than other safes costing thousands more. Most safes available today, at or below \$2,500, can actually be pried open in a few minutes or less. Our revolutionary new locking system is virtually unpryable. You'll be amazed at how quickly the name brand safes we tested were pried open.



Swing Out Gun Rack

MORE CONVENIENCE

Our safes are packed with innovations you won't find anywhere else. Exclusive features, like our patented Swing Out Gun Rack System, rear-mounted Rhino Vector™ Interior with fully adjustable shelving, and the use of our Rifle Rods™, will offer you the fastest access to your valuables, more flexibility inside your safe, and increase the usable storage space.



LOCK CERTIFICATION

The locks on all our safes are U.L. Listed. Why does it matter? This certification is only given after the lock has passed a variety of rigorous tests to ensure it will be secure and reliable. Non-certified locks can be easily breached and why we only use U.L. Listed locks.



IMPROVED FIRE PROTECTION

Our patent pending SafeX® Security System allows more complete fire protection inside the safe than with the traditional round bolts or flat-style locking bar designs. In addition, with our external hinges this eliminates the hot spot issues found with internal hinges.



BEST WARRANTIES & SERVICE

For three decades, our reputation has been built on satisfying our customers, both before and after your purchase. With more than 800 authorized dealers across the U.S. and Canada, we will make sure you are taken care of. Based in Caldwell, Idaho, we take pride in being American veteran-owned and operated.

★★★ PROTECTING & SECURING AMERICA ★★★

Friendly trained professionals are ready for your call. / 208-454-5545 / rhinosafe.com




SAFEX® SECURITY SYSTEM

Patent Pending

WHAT IS SAFEX®?


To understand what SafeX® is, you first need to understand what makes SafeX® different than "the other guys." Traditional round bolts and flat-style locking bars rely solely on the rigidity of the outer frame to secure the door. As you can see in the images below, when the body of the safe can be pried away from the door, standard locking systems are rendered useless because they merely slide behind the door frame.



Our testing has shown that leading gun safes being sold on the market today for approximately \$2,500 or less can usually be pried open in a few minutes. Most people would agree this isn't the best bang for your buck.

HOW SAFEX® WORKS

SafeX® doesn't use round bolts or flat-style locking bars that slide behind the door frame. Instead, it uses wide flanged anchor studs built into the outside door frame of the safe. When the door is shut, these anchor studs protrude into the door. Then, inside the door, when the handle of the safe is turned, a thick steel locking plate moves behind the rim of the anchor stud to securely interlock and "bolt" the door to the frame. This interlocking feature makes all the difference by limiting the separation that can be achieved between the door and door frame during a pry attack.




In our **HEAD-TO-HEAD PRY TESTS**, SafeX® could not be pried open, while leading brands using traditional round bolts or flat-style locking bars failed in only a few minutes or less. These pry tests were apples-to-apples tests where all the safes had the same steel thickness and are sold at the same price range.



IMPROVED FIRE PROTECTION

A heat-activated fire seal is mounted in the gap between the door and the frame of the safe. This intumescent seal can expand up to 8 times its thickness when activated by heat. In a fire, this placement of the fire seal blocks heat from getting to the sides and back of the door frame for improved fire protection.



MORE ROOM FOR YOUR VALUABLES

When locked, the slim door design of SafeX® is relatively flush with the interior door frame of the safe. This creates more storage space inside the safe than standard designs where the door significantly extends into the safe's interior.

Rhino Metals NEWEST Revolution in Security



Floor Storage Area Under Rack
Unlike Other Rack Systems



Firearms Can Be Stored Muzzle Up or Down,
Trigger In or Out to Fit More on Rack



Flexible Cushioned Butt and Barrel Rests
Help Protect Firearms From Damage



THE EFFICIENT WAY TO STORE YOUR FIREARMS.

Storing and accessing your firearms has never been this easy and convenient.

Visit rhinosafe.com for a list of approved models.

CONVENIENCE COMPARISON	COMPETITOR CONVENTIONAL SAFES	COMPETITOR DOOR MOUNTED GUN RACKS	RHINO SWING OUT GUN RACK WITH RIFLE RODS™
FAST-ACCESS TO ALL AREAS OF DOOR ORGANIZER	YES	NO	YES
FLOOR STORAGE AREA	NO	NO	YES
FAST-ACCESS TO ALL FIREARMS IN BAY	NO	NO	YES
BEST WITH ANY STYLE FIREARM WITH OR WITHOUT OPTICS	NO	NO	YES



SWING OUT GUN RACK SYSTEM

★ UNEQUALED STORAGE & FASTER ACCESS TO MORE FIREARMS ★

Rhino Metals exclusive **patented** Swing Out Gun Rack System (U.S. patent number 9,140,049) is available in two sizes and can be installed on most models. With this system, you will store more firearms, regardless of style with or without optics, and have faster access to your firearms than any conventional safe storage system. Store firearms on the rack, muzzle up or muzzle down; trigger in or trigger out, to utilize the capacity of this system. Simply swing the rack out to have instant access to any firearm along the back or side walls.

Long gun capacity, with or without optics, and easy access to your firearms are not possible with conventional safe storage systems. You must sacrifice one over the other to either store more firearms or have easier access. With Rhino Metals exclusive patented Swing Out Gun Rack System with Rifle Rods™, this problem is eliminated and you can have both.

- Store more firearms of any style
- No more digging through your firearms to get to the one you want
- Full access to your door organizer, unlike door mounted rack systems
- 2-3 times faster access to your firearms than conventional safe storage systems
- Faster access to more of your firearms than safes with door mounted rack systems



SCAN FOR VIDEO

Includes Rifle Rods™ Long Gun Organizing System





THUNDERBOLT SERIES

WITH ANTIQUED IRONWORKS FINISH

★ FEATURING THE SAFEX® SECURITY SYSTEM ★

Patent Pending



- U.L. Listed Lock (Manual Lock with Day-Lock or Direct-Drive Electronic Lock)
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 10 Gauge Steel Construction
- Proprietary 5-Sided ZSHIELD® Protection from 3/16" Thick AR500 Steel
- Patented Anti-Tamper Clutched Handle
- Rhino Vector® Interior Rapidly Optimizes Space with Ultra-Flexibility
- 12-Pack Rifle Rods Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet (Electric Dehumidifier Included)
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Gun Rack Compatible - Factory Installed Only (Excludes TIX6033)
- Secure to Floor (Hardware Included)



Model TIX7241

170
MINUTE
FIRE RATING

75 lbs
SHELF
CAPACITY





160
MINUTE
FIRE RATING

75 lbs
SHELF
CAPACITY



THUNDERBOLT SERIES

WITH TEXTURED OR GLOSS FINISH

★ FEATURING THE SAFEX® SECURITY SYSTEM ★

Patent Pending



MADE IN USA
WITH GLOBAL COMPONENTS



Model TX6033 in Textured Granite Finish

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	EXTERIOR DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
TX6033	1080 lbs	38	60 x 33 x 27	30.9
TX6636	1258 lbs	42	66 x 36 x 27	37.1
TX7241	1439 lbs	51	72 x 41 x 27	46.1

Available Upgrades: U.L. Listed Biometric Electronic Lock with Keypad Backup
Swing Out Gun Rack System (Includes Rifle Rods)
Two-Tone Gloss Finish (Excludes Black and Pearl White)
Additional Shelving

AVAILABLE COLORS



- U.L. Listed Lock (Manual Lock with Day-Lock or Direct-Drive Electronic Lock)
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400° F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 10 Gauge Steel Construction
- Proprietary 5-Sided ZSHIELD™ Protection from 3/16" Thick AR500 Steel
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- 12-Pack Rifle Rods Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet (Electric Dehumidifier Included)
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Rack Compatible - Factory Installed Only (Excludes TX6033)
- Secure to Floor (Hardware Included)
- Decorative Finials Included



MADE IN USA
WITH GLOBAL COMPONENTS



LIGHTNING SERIES

WITH ANTIQUED IRONWORKS FINISH
★ FEATURING THE SAFEX® SECURITY SYSTEM ★
Patent Pending

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		EXTERIOR DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
		REGULAR INTERIOR	SWING OUT INTERIOR		
AIX6033	937 lbs	42	up to 30%	60 x 33 x 27	30.9
AIX6636	1091 lbs	45	30%	66 x 36 x 27	37.1
AIX7241	1262 lbs	60	more than 30%	72 x 41 x 27	46.1
AIX7253*	1517 lbs	78	REGULAR INTERIOR	72 x 53 x 27	59.6

Available Upgrades: U.L. Listed Biometric Electronic Lock with Keypad Backup
Swing Out Gun Rack System (Includes Rifle Rods)

Additional Shelving

*Due to the massive door construction of this series, the 7253 is supported by an extra wide door frame.




Model AIX7253
Upgrade Shown: Swing Out Gun Rack (Includes Rifle Rods)

130
MINUTE
FIRE RATING

75 lbs
SHELF CAPACITY

- U.L. Listed Lock (Manual Lock with Day-Lock or Direct-Drive Electronic Lock)
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 10 Gauge Steel Body
- Thick Formed Composite Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- 12-Pack Rifle Rods Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Gun Rack Compatible
- Secure to Floor (Hardware Included)



120
MINUTE
FIRE RATING

75 lbs
SHELF CAPACITY



LIGHTNING SERIES

WITH TEXTURED OR GLOSS FINISH

★ FEATURING THE SAFEX® SECURITY SYSTEM ★

Patent Pending



MADE IN USA
WITH GLOBAL COMPONENTS



Model AX7241 in Textured Cherrystone Finish

- U.L. Listed Lock (Manual Lock with Day-Lock or Direct-Drive Electronic Lock)
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 10 Gauge Steel Body
- Thick Formed Composite Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- 12-Pack Rifle Rods Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Gun Rack Compatible
- Secure to Floor (Hardware Included)
- Decorative Finials Included

MODEL	WEIGHT (approx.)	REGULAR INTERIOR	LONG GUN CAPACITY	EXTERIOR DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
AX6033	907 lbs	42	up to	60 x 33 x 27	30.9
AX6536	1069 lbs	45	30%	66 x 36 x 27	37.1
AX7241	1225 lbs	60	more than	72 x 41 x 27	46.1
AX7253	1488 lbs	78	REGULAR INTERIOR	72 x 53 x 27	58.6

Available Upgrades: U.L. Listed Biometric Electronic Lock with Keypad Backup

Swing Out Gun Rack System (Includes Rifle Rods)

Two-Tone Gloss Finish (Excludes Black and Pearl White)

Additional Shelving

*Due to the massive door construction of this series, the 7253 is supported by an extra wide door frame.

AVAILABLE COLORS

INTERIOR



TEXTURED EXTERIOR



GLOSS EXTERIOR



TRIM






RAPTOR SERIES

WITH ANTIQUE IRONWORKS FINISH

★ FEATURING THE SAFE-X® SECURITY SYSTEM ★
Patent Pending



MADE IN USA
WITH GLOBAL COMPONENTS



Model RSX6030

- U.L. Listed Lock (Manual Lock with Day-Lock or Direct-Drive Electronic Lock)
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- Rhino Vector® Interior Rapidly Optimizes Space with Ultra-Flexibility
- 12-Pack Rifle Rods Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Gun Rack Compatible
- Secure to Floor (Hardware Included)

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		EXTERIOR DIMENSIONS ($H^{\prime\prime} \times W^{\prime\prime} \times D^{\prime\prime}$)	CUBIC FEET (approx.)
		REGULAR INTERIOR	SWING OUT INTERIOR		
RSX6030	640 lbs	40	up to 30%	60 x 30 x 25	26.0
RSX6336	875 lbs	49	more than 30%	66 x 36 x 25	34.4
RSX7241	950 lbs	56	more than 30%	72 x 41 x 27	46.1
RSX7253	1190 lbs	78	REGULAR INTERIOR	72 x 53 x 27	59.6

Available Upgrades: U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Swing Out Gun Rack System (Includes Rifle Rods)
Additional Shelving

80
MINUTE
FIRE RATING

75 lbs
SHELF
CAPACITY



80
MINUTE
FIRE RATING

75 lbs
SHELF
CAPACITY



RHINO METALS

RAPTOR SERIES

WITH TEXTURED OR GLOSS FINISH

★ FEATURING THE SAFEX® SECURITY SYSTEM ★
Patent Pending



MADE IN USA
WITH GLOBAL COMPONENTS



- U.L. Listed Lock (Manual Lock with Day-Lock or Direct-Drive Electronic Lock)
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- 12-Pack Rifle Rods Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Gun Rack Compatible
- Secure to Floor (Hardware Included)
- Decorative Finials Included

Model CX7241 in Gloss Bronze Finish
Upgrade Shown: Two-Tone Gloss Finish

Available Upgrades: U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Swing Out Gun Rack System (Includes Rifle Rods)
Two-Tone Gloss Finish (Excludes Black and Pearl White)
Additional Shelving

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		EXTERIOR DIMENSIONS (Not including handles) (H" x W" x D")	CUBIC FEET (approx.)
		REGULAR INTERIOR	SWING OUT INTERIOR		
CX6030	630 lbs	40	up to 30%	60 x 30 x 25	26.0
CX6636	865 lbs	49	more than 30%	66 x 36 x 25	34.4
CX7241	940 lbs	56	more than 30%	72 x 41 x 27	46.1
CX7253	1180 lbs	78	REGULAR INTERIOR	72 X 53 X 27	59.6

AVAILABLE COLORS





MADE IN USA
WITH GLOBAL COMPONENTS



Model RBX6028



FALCON SERIES

WITH TEXTURED FINISH

★ FEATURING THE SAFEX® SECURITY SYSTEM ★
Patent Pending

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- 14 Gauge Steel Construction
- Anti-Tamper Clutched Handle
- Non-Adjustable Top Shelf & Gun Shelf, Two Adjustable Right Side Shelves + Bonus Cover Shelf
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Secure to Floor (Hardware Included)



Model RBFX6036

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	EXTERIOR DIMENSIONS (not including handle) (H" x W" x D")	CUBIC FEET (approx.)
RBX/RBFX6028	375 lbs	42	60 x 28 x 22	21.4
RBX/RBFX6033	420 lbs	44	60 x 33 x 22	25.2
RBX/RBFX6036	485 lbs	50	60 x 36 x 22	27.5

40
MINUTE
FIRE RATING

40
lbs
SHELF
CAPACITY



VAULT DOOR SERIES

WITH ANTIQUED IRONWORKS FINISH

★ AMERICAN MADE ★ HANDCRAFTED ★ BUILT TO LAST ★



Model IWVD8030 Out-Swing
Standard Hinge Shown. Available in Reverse



MADE IN USA
WITH GLOBAL COMPONENTS



Model IWVD8240 In-Swing
Standard Hinge Shown. Available in Reverse

- U.L. Listed Lock (Manual Lock with Day-Lock or Direct-Drive Electronic Lock)

- Fire Resistant Design with Dual Intumescent Expanding Fire Seal
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- Tempered Glass Relocker with Remote Spring-Loaded Relocker Deadbolts the System
- Patented Anti-Tamper Clutched Handle
- 1.25" Diameter Doorbolts, 3-Sided Protection
- Internal Release & Panic Room Lock-In Mechanism
- Standard & Reverse Opening Capabilities
- Clamshell Design Simplifies Installation & Designed to Fit a Variety of Wall Types
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary

INSTALLATION INSTRUCTIONS
AVAILABLE AT RHINOSAFE.COM

ADDITIONAL DESIGN SPECIFICATION FOR OUT-SWING ONLY

- 120 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.39" Thick Door with Full Coverage .25" Steel Face, .25" Thick Steel Outer Door Frame
- Minimum Wall Thickness 8", Maximum Wall Thickness 12.5"
- Concealment Panel Kit Available for Walls up to 12.5" Thick
- For Additional Security, the Out-Swing can be Installed Using Expansion Anchors or Lag Bolts (Not Included)

ADDITIONAL DESIGN SPECIFICATION FOR IN-SWING ONLY

- 90 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.79" Thick Door with Full Coverage .25" Steel Core
- 10 Gauge Thick Steel Outer Door Frame, 12 Gauge Formed Steel Construction
- Minimum Wall Thickness 8", Maximum Wall Thickness 8.5"

OUT-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (Clamshell Installation) (H" x W")	MAXIMUM ROUGH DOOR OPENING (Concrete Anchor Installation) (H" x W")	DOORBOLTS
IWVD8030	900 lbs	80.25 x 30.5	83 x 36	81 x 31.25	16
IWVD8035	1030 lbs	80.25 x 35.5	83 x 41	81 x 36.25	16
IWVD8040	1100 lbs	80.25 x 40.5	83 x 46	81 x 41.25	17
IWVD8045	1180 lbs	80.25 x 45.5	83 x 51	81 x 46.25	17

WALLS THICKER THAN 8.5" WILL REQUIRE LONGER BOLTS. CHECK INSTALLATION INSTRUCTIONS.

IN-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (H" x W")	DOORBOLTS
IWVD8240	755 lbs	82.75 x 39.5	83 x 41	21


Available Upgrades: U.L. Listed Biometric Electronic Lock with Keypad Back-Up

Friendly trained professionals are ready for your call. | 209-454-5545 | rhinosafe.com



Model VD8045
Back of Door Shown


MADE IN USA
WITH GLOBAL COMPONENTS



Model VD8045 Out-Swing in Gloss Crimson Finish
Standard Hinge Shown. Available in Reverse
Upgrade Shown: Two-Tone Gloss Finish



VAULT DOOR SERIES

WITH TEXTURED OR GLOSS FINISH
★ AMERICAN MADE ★ HANDCRAFTED ★ BUILT TO LAST ★

INSTALLATION INSTRUCTIONS
AVAILABLE AT RHINOSAFE.COM

- U.L. Listed Lock (Manual Lock with Day-Lock or Direct-Drive Electronic Lock)
- Fire Resistant Design with Dual Intumescent Expanding Fire Seal
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- Tempered Glass Relocker with Remote Spring-Loaded Relocker Deadbolts the System
- Patented Anti-Tamper Clutched Handle
- 1.25" Diameter Doorbolts, 3-Sided Protection
- Internal Release & Panic Room Lock-In Mechanism
- Standard & Reverse Opening Capabilities
- Clamshell Design Simplifies Installation & Designed to Fit a Variety of Wall Types
- Decorative Finials Included
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary

ADDITIONAL DESIGN SPECIFICATION FOR OUT-SWING ONLY

- 120 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.39" Thick Door with Full Coverage .25" Steel Face, .25" Thick Steel Outer Door Frame
- Minimum Wall Thickness 8", Maximum Wall Thickness 12.5"
- Concealment Panel Kit Available for Walls up to 12.5" Thick
- For Additional Security, the Out-Swing can be Installed Using Expansion Anchors or Lag Bolts (Not Included)

ADDITIONAL DESIGN SPECIFICATION FOR IN-SWING ONLY

- 90 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.79" Thick Door with Full Coverage .25" Steel Core
- 10 Gauge Thick Steel Outer Door Frame, 12 Gauge Formed Steel Construction
- Minimum Wall Thickness 8", Maximum Wall Thickness 8.5"

OUT-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (Clamshell Installation) (H" x W")	MAXIMUM ROUGH DOOR OPENING (Concrete Anchor Installation) (H" x W")	DOORBOLTS
VD8030	900 lbs	80.25 x 30.5	83 x 36	81 x 31.25	16
VD8035	1030 lbs	80.25 x 35.5	83 x 41	81 x 36.25	16
VD8040	1100 lbs	80.25 x 40.5	83 x 46	81 x 41.25	17
VD8045	1180 lbs	80.25 x 45.5	83 x 51	81 x 46.25	17

WALLS THICKER THAN 8.5" WILL REQUIRE LONGER BOLTS. CHECK INSTALLATION INSTRUCTIONS.

IN-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (H" x W")	DOORBOLTS
VD8240	755 lbs	82.75 x 39.5	83 x 41	21

Available Upgrades: U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Two-Tone Gloss Finish (Excludes Black and Pearl White)



KODIAK SERIES

WITH ANTIQUE IRONWORKS FINISH

★ FEATURING THE SAFEX™ SECURITY SYSTEM ★

Patent Pending



60
MINUTE
FIRE RATING

75 lbs
SHELF
CAPACITY



Model KSXR7141

- U.L. Listed TopLit Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Triple Hardplate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Swing Out Gun Rack Compatible

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	EXTERIOR DIMENSIONS (Not Including Handles/Door)		CUBIC FEET (approx.)
			H" x W" x D"	IMPORTED	
KSXR5933	541 lbs	41	59 x 33 x 23		25.9
KSXR6736	682 lbs	46	67 x 36 x 25		34.9
KSXR7141	791 lbs	63	71 x 41 x 26		43.8



60
MINUTE
FIRE RATING

75 lbs
SHELF
CAPACITY



Model KGXR6736 in Gloss Brown Finish



KODIAK SERIES

WITH GLOSS FINISH

★ FEATURING THE SAFEX® SECURITY SYSTEM ★
Patent Pending

- U.L. Listed TopLit Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Triple Hardplate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Swing Out Gun Rack Compatible

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	EXTERIOR DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KGXR5933	536 lbs	41	59 x 33 x 23	25.9
KGXR6736	655 lbs	46	67 x 36 x 25	34.9
KGXR7141	759 lbs	63	71 x 41 x 26	43.8

IMPORTED



Available in Gloss Gray, White, and Brown Finishes





Model KBX5933



KODIAK SERIES

WITH TEXTURED FINISH

★ FEATURING THE SAFEX® SECURITY SYSTEM ★
Patent Pending

- U.L. Listed Electronic Lock
- CA DOJ Certified Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- 14 Gauge Steel Construction
- Anti-Tamper Cluched Handle
- Internal Electrical / USB Outlets (Excludes KBX5522 & KBX5629)
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled for Electric Dehumidifier (Excludes KBX5933 & KBX5940)
- Pre-Drilled to Bolt to Floor
- Swing Out Gun Rack Compatible (KBX5940 Only)

30 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	EXTERIOR DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KBX5522	258 lbs	35	55 x 22 x 22	15.4
KBX5629	333 lbs	42	56 x 29 x 22	20.7

40 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	EXTERIOR DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KBX5933	379 lbs	46	59 x 33 x 22	24.8
KBX5940	457 lbs	57	59 x 40 x 23	31.4

IMPORTED



LONGHORN HOME SERIES

★ FEATURING THE SAFEX® SECURITY SYSTEM ★

Patent Pending

LNX2620 Nightstand Safe

- U.L. Listed TopLit Electronic Lock
- CA DOJ Certified Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate Protects the Lock
- 1.8 cu. ft. Interior Capacity
- Internal Safe Dimensions 15.9" H x 16.3" W x 11.9" D
- 14 Gauge Steel Construction
- Anti-Tamper Clutched Handle
- Adjustable Shelf
- Handgun Holder on Doorback
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- External Electrical / USB Outlet (Mounted on Back)
- Easy Glide Heavy Duty Drawer with Full Extension Ball Bearing Glides
- Drawer Dimensions 5" H x 13.25" W x 13.25" D
- Fully Assembled
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Antiqued Ironworks Finish



Model LNX2620

LNX3022 Nightstand Safe

- U.L. Listed TopLit Electronic Lock
- CA DOJ Certified Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- 2.0 cu. ft. Interior Capacity
- Internal Safe Dimensions 20.5" H x 18.3" W x 11.9" D
- 14 Gauge Steel Construction
- Anti-Tamper Clutched Handle
- Adjustable Shelf
- Door Organizer with Pockets & Hooks
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- External Electrical / USB Outlet (Mounted on Back)
- Easy Glide Heavy Duty Drawer with Full Extension Ball Bearing Glides
- Drawer Dimensions 5" H x 15.3" W x 13.25" D
- Fully Assembled
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Antiqued Ironworks Finish



Model LNX3022

LGX3022G Home Safe

- U.L. Listed TopLit Electronic Lock
- CA DOJ Certified Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- 14 Gauge Steel Construction
- Anti-Tamper Clutched Handle
- Adjustable Shelves
- Door Organizer with Pockets & Hooks
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Gloss Gray Finish



Model LGX3022G



Model LGX4224W

LGX4224W Home Safe

- U.L. Listed TopLit Electronic Lock
- CA DOJ Certified Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- 14 Gauge Steel Construction
- Anti-Tamper Clutched Handle
- Rhinotek® Interior Rapidly Optimizes Space with Ultra-Flexibility
- 6-Pack Rifle Rods Included to Help Maximize Firearm Storage
- Door Organizer with Pockets & Hooks
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Gloss White Finish





★ ★ ★ PART ART, PART FURNITURE, ALL SECURITY ★ ★ ★



RHINO METALS™

VETERAN-OWNED AND OPERATED SINCE 1995

Rhino Safe Co.®, Rhino™, Rhino Metals™, Longhorn®, Kodiak®, Avenger®, SafeX®, and Ironworks® are registered trademarks of Rhino Metals, Inc.

MANUFACTURED BY RHINO METALS, INC. | RHINOSAFE.COM | (208) 454-5545

607 GARBER STREET, CALDWELL, IDAHO 83605

U.S. PATENT NUMBERS: 6,541,124 . 0728,189 . 0742,639 . 9,410,355 . 9,140,049

 @rhinometals



Rhino Metals, Inc.



Rhino Metals